

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 676 high school students in Hi Line Region during February of 2009. Frequency distributions may not total 676 due to non-response and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 12 years old or younger	2	0.3%
b. 13 years old	1	0.1%
c. 14 years old	71	10.5%
d. 15 years old	183	27.1%
e. 16 years old	166	24.6%
f. 17 years old	159	23.5%
g. 18 years old or older	94	13.9%
<b>Total</b>	<b>676</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Female	321	47.8%
b. Male	350	52.2%
<b>Total</b>	<b>671</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 9th grade	229	34.2%
b. 10th grade	134	20.0%
c. 11th grade	173	25.9%
d. 12th grade	129	19.3%
e. Ungraded or other	4	0.6%
<b>Total</b>	<b>669</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	34	5.1%
b. No	628	94.9%
<b>Total</b>	<b>662</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. American Indian or Alaskan Native	240	35.5%
b. Asian	10	1.5%
c. Black or African American	22	3.3%
d. Native Hawaiian or Other Pacific Islander	10	1.5%
e. White	433	64.1%
(More than one response allowed)	<b>Total</b>	<b>715</b>
		<b>105.8%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 4 ft	1	0.2%
b. 4ft to 4 ft, 6 in	1	0.2%
c. 4ft, 7in to 5 ft	9	1.4%
d. 5ft, 1in to 5ft, 6in	240	36.2%
e. Over 5ft, 6in	412	62.1%
<b>Total</b>	<b>663</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 90 lbs	2	0.3%
b. 90-99 lbs	10	1.5%
c. 100-109 lbs	20	3.0%
d. 110-119lbs	55	8.4%
e. 120-129 lbs	66	10.1%
f. 130-139 lbs	96	14.6%
g. 140 lbs +	407	62.0%
<b>Total</b>	<b>656</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not ride a bicycle during the past 12 months	220	32.7%
b. Never wore a helmet	404	60.0%
c. Rarely wore a helmet	25	3.7%
d. Sometimes wore a helmet	11	1.6%
e. Most of the time wore a helmet	8	1.2%
f. Always wore a helmet	5	0.7%
<b>Total</b>	<b>673</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	35	5.2%
b. Rarely	105	15.7%
c. Sometimes	195	29.1%
d. Most of the time	235	35.1%
e. Always	99	14.8%
<b>Total</b>	<b>669</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not drive a car	80	11.9%
b. Never	51	7.6%
c. Rarely	103	15.3%
d. Sometimes	129	19.2%
e. Most of the time	149	22.1%
f. Always	161	23.9%
<b>Total</b>	<b>673</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	422	62.9%
b. 1 time	84	12.5%
c. 2 or 3 times	97	14.5%
d. 4 or 5 times	27	4.0%
e. 6 or more times	41	6.1%
<b>Total</b>	<b>671</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	555	82.7%
b. 1 time	55	8.2%
c. 2 or 3 times	37	5.5%
d. 4 or 5 times	5	0.7%
e. 6 or more times	19	2.8%
<b>Total</b>	<b>671</b>	<b>100.0%</b>
<i>Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	501	75.1%
b. 1 day	31	4.6%
c. 2 or 3 days	33	4.9%
d. 4 or 5 days	15	2.2%
e. 6 or more days	87	13.0%
<b>Total</b>	<b>667</b>	<b>100.0%</b>
<i>Q-14. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	569	84.7%
b. 1 day	29	4.3%
c. 2 or 3 days	24	3.6%
d. 4 or 5 days	9	1.3%
e. 6 or more days	41	6.1%
<b>Total</b>	<b>672</b>	<b>100.0%</b>
<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	606	90.2%
b. 1 day	14	2.1%
c. 2 or 3 days	16	2.4%
d. 4 or 5 days	9	1.3%
e. 6 or more days	27	4.0%
<b>Total</b>	<b>672</b>	<b>100.0%</b>
<i>Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	638	94.9%
b. 1 day	13	1.9%
c. 2 or 3 days	10	1.5%
d. 4 or 5 days	4	0.6%
e. 6 or more days	7	1.0%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	635	94.1%
b. 1 time	14	2.1%
c. 2 or 3 times	13	1.9%
d. 4 or 5 times	2	0.3%
e. 6 or 7 times	2	0.3%
f. 8 or 9 times	2	0.3%
g. 10 or 11 times	0	0.0%
h. 12 or more times	7	1.0%
<b>Total</b>	<b>675</b>	<b>100.0%</b>
<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	419	62.7%
b. 1 time	127	19.0%
c. 2 or 3 times	75	11.2%
d. 4 or 5 times	12	1.8%
e. 6 or 7 times	9	1.3%
f. 8 or 9 times	5	0.7%
g. 10 or 11 times	5	0.7%
h. 12 or more times	16	2.4%
<b>Total</b>	<b>668</b>	<b>100.0%</b>
<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	646	96.4%
b. 1 time	20	3.0%
c. 2 or 3 times	3	0.4%
d. 4 or 5 times	0	0.0%
e. 6 or more times	1	0.1%
<b>Total</b>	<b>670</b>	<b>100.0%</b>
<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	591	87.7%
b. 1 time	50	7.4%
c. 2 or 3 times	23	3.4%
d. 4 or 5 times	2	0.3%
e. 6 or 7 times	1	0.1%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	2	0.3%
h. 12 or more times	5	0.7%
<b>Total</b>	<b>674</b>	<b>100.0%</b>
<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	83	12.4%
b. No	584	87.6%
<b>Total</b>	<b>667</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-22. Have you ever been forced to have sexual intercourse when you did not want to?	<u>Count</u>	<u>Percent</u>
a. Yes	49	7.4%
b. No	616	92.6%
<b>Total</b>	<b>665</b>	<b>100.0%</b>
Q-23. During the past 12 months, have you ever been bullied on school property?	<u>Count</u>	<u>Percent</u>
a. Yes	172	25.7%
b. No	497	74.3%
<b>Total</b>	<b>669</b>	<b>100.0%</b>
Q-24. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	108	16.2%
b. No	560	83.8%
<b>Total</b>	<b>668</b>	<b>100.0%</b>
Q-25. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	159	24.2%
b. No	498	75.8%
<b>Total</b>	<b>657</b>	<b>100.0%</b>
Q-26. During the past 12 months, did you ever seriously consider attempting suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	102	15.2%
b. No	567	84.8%
<b>Total</b>	<b>669</b>	<b>100.0%</b>
Q-27. During the past 12 months, did you make a plan about how you would attempt suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	85	12.6%
b. No	587	87.4%
<b>Total</b>	<b>672</b>	<b>100.0%</b>
Q-28. During the past 12 months, how many times did you actually attempt suicide?	<u>Count</u>	<u>Percent</u>
a. 0 times	567	85.0%
b. 1 time	75	11.2%
c. 2 or 3 times	12	1.8%
d. 4 or 5 times	5	0.7%
e. 6 or more times	8	1.2%
<b>Total</b>	<b>667</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-29. *If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?*

	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide during the past 12 months	556	83.0%
b. Yes	22	3.3%
c. No	92	13.7%
<b>Total</b>	<b>670</b>	<b>100.0%</b>

Q-30. *Have you ever tried cigarette smoking, even one or two puffs?*

	<u>Count</u>	<u>Percent</u>
a. Yes	392	59.0%
b. No	272	41.0%
<b>Total</b>	<b>664</b>	<b>100.0%</b>

Q-31. *How old were you when you smoked a whole cigarette for the first time?*

	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	345	51.5%
b. 8 years old or younger	38	5.7%
c. 9 or 10 years old	40	6.0%
d. 11 or 12 years old	67	10.0%
e. 13 or 14 years old	85	12.7%
f. 15 or 16 years old	72	10.7%
g. 17 years old or older	23	3.4%
<b>Total</b>	<b>670</b>	<b>100.0%</b>

Q-32. *During the past 30 days, on how many days did you smoke cigarettes?*

	<u>Count</u>	<u>Percent</u>
a. 0 days	495	73.4%
b. 1 or 2 days	59	8.8%
c. 3 to 5 days	25	3.7%
d. 6 to 9 days	21	3.1%
e. 10 to 19 days	20	3.0%
f. 20 to 29 days	12	1.8%
g. All 30 days	42	6.2%
<b>Total</b>	<b>674</b>	<b>100.0%</b>

Q-33. *During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?*

	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	498	74.1%
b. Less than 1 cigarette per day	45	6.7%
c. 1 cigarette per day	36	5.4%
d. 2 to 5 cigarettes per day	75	11.2%
e. 6 to 10 cigarettes per day	14	2.1%
f. 11 to 20 cigarettes per day	1	0.1%
g. More than 20 cigarettes per day	3	0.4%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<b>Q-34. During the past 30 days, how did you usually get your own cigarettes?</b> (Select only one response)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke cigarettes during the past 30 days	489	73.5%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	42	6.3%
c. I bought them from a vending machine	4	0.6%
d. I gave someone else money to buy them for me	41	6.2%
e. I borrowed them from someone else	52	7.8%
f. A person 18 years old or older gave them to me	11	1.7%
g. I took them from a store or family member	4	0.6%
h. I got them some other way	22	3.3%
<b>Total</b>	<b>665</b>	<b>100.0%</b>

<b>Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	614	91.4%
b. 1 or 2 days	26	3.9%
c. 3 to 5 days	6	0.9%
d. 6 to 9 days	10	1.5%
e. 10 to 19 days	6	0.9%
f. 20 to 29 days	3	0.4%
g. All 30 days	7	1.0%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

<b>Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	112	16.8%
b. No	556	83.2%
<b>Total</b>	<b>668</b>	<b>100.0%</b>

<b>Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke during the past 12 months	456	68.3%
b. Yes	126	18.9%
c. No	86	12.9%
<b>Total</b>	<b>668</b>	<b>100.0%</b>

<b>Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	534	79.0%
b. 1 or 2 days	47	7.0%
c. 3 to 5 days	17	2.5%
d. 6 to 9 days	19	2.8%
e. 10 to 19 days	15	2.2%
f. 20 to 29 days	15	2.2%
g. All 30 days	29	4.3%
<b>Total</b>	<b>676</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	587	87.2%
b. 1 or 2 days	29	4.3%
c. 3 to 5 days	16	2.4%
d. 6 to 9 days	8	1.2%
e. 10 to 19 days	10	1.5%
f. 20 to 29 days	6	0.9%
g. All 30 days	17	2.5%
<b>Total</b>	<b>673</b>	<b>100.0%</b>

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	590	87.9%
b. 1 or 2 days	49	7.3%
c. 3 to 5 days	15	2.2%
d. 6 to 9 days	10	1.5%
e. 10 to 19 days	4	0.6%
f. 20 to 29 days	0	0.0%
g. All 30 days	3	0.4%
<b>Total</b>	<b>671</b>	<b>100.0%</b>

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	133	20.1%
b. 1 or 2 days	104	15.7%
c. 3 to 9 days	94	14.2%
d. 10 to 19 days	82	12.4%
e. 20 to 39 days	81	12.2%
f. 40 to 99 days	69	10.4%
g. 100 or more days	100	15.1%
<b>Total</b>	<b>663</b>	<b>100.0%</b>

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had a drink of alcohol other than a few sips	141	21.1%
b. 8 years old or younger	55	8.2%
c. 9 or 10 years old	57	8.5%
d. 11 or 12 years old	94	14.1%
e. 13 or 14 years old	198	29.6%
f. 15 or 16 years old	109	16.3%
g. 17 years old or older	14	2.1%
<b>Total</b>	<b>668</b>	<b>100.0%</b>



## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	367	55.1%
b. 1 or 2 days	145	21.8%
c. 3 to 5 days	70	10.5%
d. 6 to 9 days	39	5.9%
e. 10 to 19 days	29	4.4%
f. 20 to 29 days	10	1.5%
g. All 30 days	6	0.9%
<b>Total</b>	<b>666</b>	<b>100.0%</b>

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	447	66.5%
b. 1 day	76	11.3%
c. 2 days	49	7.3%
d. 3 to 5 days	53	7.9%
e. 6 to 9 days	28	4.2%
f. 10 to 19 days	12	1.8%
g. 20 or more days	7	1.0%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink alcohol during the past 30 days	358	53.4%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	15	2.2%
c. I bought it at a restaurant, bar, or club	6	0.9%
d. I bought it at a public event such as a concert or sporting event	5	0.7%
e. I gave someone else money to buy it for me	100	14.9%
f. Someone gave it to me	96	14.3%
g. I took it from a store or family member	13	1.9%
h. I got it some other way	77	11.5%
<b>Total</b>	<b>670</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	614	92.9%
b. 1 or 2 days	27	4.1%
c. 3 to 5 days	12	1.8%
d. 6 to 9 days	3	0.5%
e. 10 to 19 days	1	0.2%
f. 20 to 29 days	1	0.2%
g. All 30 days	3	0.5%
<b>Total</b>	<b>661</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During your life, how many times have you used marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	371	55.2%
b. 1 or 2 times	64	9.5%
c. 3 to 9 times	50	7.4%
d. 10 to 19 times	35	5.2%
e. 20 to 39 times	41	6.1%
f. 40 to 99 times	28	4.2%
g. 100 or more times	83	12.4%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never tried marijuana	367	54.5%
b. 8 years old or younger	32	4.7%
c. 9 or 10 years old	17	2.5%
d. 11 or 12 years old	57	8.5%
e. 13 or 14 years old	103	15.3%
f. 15 or 16 years old	75	11.1%
g. 17 years old or older	23	3.4%
<b>Total</b>	<b>674</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	500	74.5%
b. 1 or 2 times	57	8.5%
c. 3 to 9 times	39	5.8%
d. 10 to 19 times	25	3.7%
e. 20 to 39 times	20	3.0%
f. 40 or more times	30	4.5%
<b>Total</b>	<b>671</b>	<b>100.0%</b>

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	633	94.2%
b. 1 or 2 times	20	3.0%
c. 3 to 9 times	5	0.7%
d. 10 to 19 times	7	1.0%
e. 20 to 39 times	1	0.1%
f. 40 or more times	6	0.9%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	622	92.6%
b. 1 or 2 times	23	3.4%
c. 3 to 9 times	9	1.3%
d. 10 to 19 times	7	1.0%
e. 20 to 39 times	2	0.3%
f. 40 or more times	9	1.3%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	650	96.9%
b. 1 or 2 times	4	0.6%
c. 3 to 9 times	4	0.6%
d. 10 to 19 times	6	0.9%
e. 20 to 39 times	2	0.3%
f. 40 or more times	5	0.7%
<b>Total</b>	<b>671</b>	<b>100.0%</b>

<i>Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	543	80.8%
b. 1 or 2 times	49	7.3%
c. 3 to 9 times	39	5.8%
d. 10 to 19 times	19	2.8%
e. 20 to 39 times	10	1.5%
f. 40 or more times	12	1.8%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	653	97.6%
b. 1 or 2 times	10	1.5%
c. 3 to 9 times	2	0.3%
d. 10 to 19 times	1	0.1%
e. 20 to 39 times	0	0.0%
f. 40 or more times	3	0.4%
<b>Total</b>	<b>669</b>	<b>100.0%</b>

<i>Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	642	96.3%
b. 1 or 2 times	13	1.9%
c. 3 to 9 times	5	0.7%
d. 10 to 19 times	3	0.4%
e. 20 to 39 times	0	0.0%
f. 40 or more times	4	0.6%
<b>Total</b>	<b>667</b>	<b>100.0%</b>

<i>Q-56. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	637	94.8%
b. 1 or 2 times	22	3.3%
c. 3 to 9 times	6	0.9%
d. 10 to 19 times	4	0.6%
e. 20 to 39 times	0	0.0%
f. 40 or more times	3	0.4%
<b>Total</b>	<b>672</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	654	97.5%
b. 1 or 2 times	7	1.0%
c. 3 to 9 times	4	0.6%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	3	0.4%
f. 40 or more times	3	0.4%
<b>Total</b>	<b>671</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	651	97.7%
b. 1 time	11	1.7%
c. 2 or more times	4	0.6%
<b>Total</b>	<b>666</b>	<b>100.0%</b>

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	146	21.8%
b. No	524	78.2%
<b>Total</b>	<b>670</b>	<b>100.0%</b>

<i>Q-60. Have you ever had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	357	54.4%
b. No	299	45.6%
<b>Total</b>	<b>656</b>	<b>100.0%</b>

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	308	46.5%
b. 11 years old or younger	30	4.5%
c. 12 years old	27	4.1%
d. 13 years old	46	6.9%
e. 14 years old	79	11.9%
f. 15 years old	77	11.6%
g. 16 years old	67	10.1%
h. 17 years old or older	29	4.4%
<b>Total</b>	<b>663</b>	<b>100.0%</b>

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	316	47.4%
b. 1 person	97	14.5%
c. 2 people	76	11.4%
d. 3 people	47	7.0%
e. 4 people	36	5.4%
f. 5 people	28	4.2%
g. 6 or more people	67	10.0%
<b>Total</b>	<b>667</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	325	48.5%
b. I have had sexual intercourse, but not during the past 3 months	108	16.1%
c. 1 person	165	24.6%
d. 2 people	48	7.2%
e. 3 people	11	1.6%
f. 4 people	2	0.3%
g. 5 people	2	0.3%
h. 6 or more people	9	1.3%
<b>Total</b>	<b>670</b>	<b>100.0%</b>

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	316	47.4%
b. Yes	117	17.5%
c. No	234	35.1%
<b>Total</b>	<b>667</b>	<b>100.0%</b>

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	320	48.3%
b. Yes	214	32.3%
c. No	129	19.5%
<b>Total</b>	<b>663</b>	<b>100.0%</b>

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	310	47.0%
b. No method was used to prevent pregnancy	50	7.6%
c. Birth control pills	60	9.1%
d. Condoms	183	27.8%
e. Depo-Provera	16	2.4%
f. Withdrawal	19	2.9%
g. Some other method	7	1.1%
h. Not sure	14	2.1%
<b>Total</b>	<b>659</b>	<b>100.0%</b>

<i>Q-67. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	17	2.6%
b. Slightly underweight	61	9.3%
c. About the right weight	355	54.2%
d. Slightly overweight	190	29.0%
e. Very overweight	32	4.9%
<b>Total</b>	<b>655</b>	<b>100.0%</b>

<i>Q-68. Which of the following are you trying to do about your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Lose weight	286	43.3%
b. Gain weight	98	14.8%
c. Stay the same weight	128	19.4%
d. I am not trying to do anything about my weight	148	22.4%
<b>Total</b>	<b>660</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	420	63.7%
b. No	239	36.3%
<b>Total</b>	<b>659</b>	<b>100.0%</b>
Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	243	36.8%
b. No	417	63.2%
<b>Total</b>	<b>660</b>	<b>100.0%</b>
Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	79	11.9%
b. No	585	88.1%
<b>Total</b>	<b>664</b>	<b>100.0%</b>
Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	37	5.6%
b. No	624	94.4%
<b>Total</b>	<b>661</b>	<b>100.0%</b>
Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	31	4.8%
b. No	617	95.2%
<b>Total</b>	<b>648</b>	<b>100.0%</b>
Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	104	15.7%
b. 1 to 3 times during the past 7 days	255	38.4%
c. 4 to 6 times during the past 7 days	147	22.1%
d. 1 time per day	56	8.4%
e. 2 times per day	57	8.6%
f. 3 times per day	22	3.3%
g. 4 or more times per day	23	3.5%
<b>Total</b>	<b>664</b>	<b>100.0%</b>
Q-75. During the past 7 days, how many times did you eat fruit?	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	82	12.2%
b. 1 to 3 times during the past 7 days	265	39.6%
c. 4 to 6 times during the past 7 days	157	23.4%
d. 1 time per day	56	8.4%
e. 2 times per day	65	9.7%
f. 3 times per day	28	4.2%
g. 4 or more times per day	17	2.5%
<b>Total</b>	<b>670</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat green salad during the past 7 days	215	32.4%
b. 1 to 3 times during the past 7 days	285	43.0%
c. 4 to 6 times during the past 7 days	100	15.1%
d. 1 time per day	43	6.5%
e. 2 times per day	13	2.0%
f. 3 times per day	0	0.0%
g. 4 or more times per day	7	1.1%
<b>Total</b>	<b>663</b>	<b>100.0%</b>

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat potatoes during the past 7 days	177	26.6%
b. 1 to 3 times during the past 7 days	340	51.1%
c. 4 to 6 times during the past 7 days	90	13.5%
d. 1 time per day	29	4.4%
e. 2 times per day	16	2.4%
f. 3 times per day	5	0.8%
g. 4 or more times per day	8	1.2%
<b>Total</b>	<b>665</b>	<b>100.0%</b>

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat carrots during the past 7 days	313	47.3%
b. 1 to 3 times during the past 7 days	269	40.6%
c. 4 to 6 times during the past 7 days	46	6.9%
d. 1 time per day	23	3.5%
e. 2 times per day	8	1.2%
f. 3 times per day	1	0.2%
g. 4 or more times per day	2	0.3%
<b>Total</b>	<b>662</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat other vegetables during the past 7 days	122	18.5%
b. 1 to 3 times during the past 7 days	281	42.6%
c. 4 to 6 times during the past 7 days	141	21.4%
d. 1 time per day	59	8.9%
e. 2 times per day	39	5.9%
f. 3 times per day	8	1.2%
g. 4 or more times per day	10	1.5%
<b>Total</b>	<b>660</b>	<b>100.0%</b>

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink a soda or pop during the past 7 days	96	14.4%
b. 1 to 3 times during the past 7 days	233	35.0%
c. 4 to 6 times during the past 7 days	142	21.4%
d. 1 time per day	65	9.8%
e. 2 times per day	63	9.5%
f. 3 times per day	24	3.6%
g. 4 or more times per day	42	6.3%
<b>Total</b>	<b>665</b>	<b>100.0%</b>

## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink milk during the past 7 days	74	11.2%
b. 1 to 3 glasses during the past 7 days	134	20.3%
c. 4 to 6 glasses during the past 7 days	98	14.8%
d. 1 glass per day	95	14.4%
e. 2 glasses per day	131	19.8%
f. 3 glasses per day	69	10.4%
g. 4 or more glasses per day	60	9.1%
<b>Total</b>	<b>661</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	87	13.5%
b. 1 day	56	8.7%
c. 2 days	60	9.3%
d. 3 days	66	10.2%
e. 4 days	69	10.7%
f. 5 days	90	13.9%
g. 6 days	75	11.6%
h. 7 days	143	22.1%
<b>Total</b>	<b>646</b>	<b>100.0%</b>

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not watch TV on an average school day	77	11.6%
b. Less than 1 hour per day	137	20.7%
c. 1 hour per day	120	18.2%
d. 2 hours per day	161	24.4%
e. 3 hours per day	95	14.4%
f. 4 hours per day	46	7.0%
g. 5 or more hours per day	25	3.8%
<b>Total</b>	<b>661</b>	<b>100.0%</b>

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	124	18.9%
b. Less than 1 hour per day	181	27.6%
c. 1 hour per day	132	20.2%
d. 2 hours per day	109	16.6%
e. 3 hours per day	61	9.3%
f. 4 hours per day	29	4.4%
g. 5 or more hours per day	19	2.9%
<b>Total</b>	<b>655</b>	<b>100.0%</b>

<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	281	42.6%
b. 1 day	12	1.8%
c. 2 days	17	2.6%
d. 3 days	20	3.0%
e. 4 days	23	3.5%
f. 5 days	306	46.4%
<b>Total</b>	<b>659</b>	<b>100.0%</b>



## 2009 HI LINE REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 teams	202	31.3%
b. 1 team	147	22.8%
c. 2 teams	137	21.2%
d. 3 or more teams	160	24.8%
<b>Total</b>	<b>646</b>	<b>100.0%</b>
<i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	506	77.3%
b. No	93	14.2%
c. Not sure	56	8.5%
<b>Total</b>	<b>655</b>	<b>100.0%</b>
<i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	128	19.7%
b. No	497	76.6%
c. Not sure	24	3.7%
<b>Total</b>	<b>649</b>	<b>100.0%</b>
<i>Q-89. Do you still have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had asthma	397	60.7%
b. Yes	108	16.5%
c. No	113	17.3%
d. Not sure	36	5.5%
<b>Total</b>	<b>654</b>	<b>100.0%</b>
<i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	118	18.4%
b. No	525	81.6%
<b>Total</b>	<b>643</b>	<b>100.0%</b>
<i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	134	20.6%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	37	5.7%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	31	4.8%
d. Yes drives, has valid license or permit and completed driver ed	328	50.3%
e. Yes, drives on public roads, but does not have a valid license or permit	122	18.7%
<b>Total</b>	<b>652</b>	<b>100.0%</b>